



- NOTES:  
 1.MATERIAL:  
 1-1.EJECTOR COVER-R: STAINLESS STEEL.  
 1-2.BOLTED SHEET METAL-B-L: STAINLESS STEEL.  
 1-3.BOLTED SHEET METAL-A-R: STAINLESS STEEL.  
 1-4.HEARTED SHAPE PLASTIC-R: NYLON, GLASS FILLED,  
 UL94 V-0, COLOR: BLACK.

- 1-5.BAR-A-R: STAINLESS STEEL.  
 1-6.BAR-B-R: STAINLESS STEEL.  
 1-7.MOUNTED PIN: BRASS.  
 1-8.SPRING: SWP-B.  
 1-9.BUTTON-L: POLYESTER, GLASS FILLED, UL94V-0, COLOR: BLACK.

- 2.PLATING:  
 MOUNTED PIN: NICKEL PLATING OVERALL.  
 3.COPLANARITY OF SMT TERMINAL:0.10MM MAXIMUM.  
 4.PACKAGE SPECIFICATION REFER TO PK-48250-002.  
 5.PRODUCT SPECIFICATION REFER TO PS-48250-001.  
 6.TEST SUMMARY REFER TO TS-48250-001.  
 7.DATE CODE: \*\* \*\* \*\*  
 DAY  
 WEEK  
 YEAR

8.LEAD FREE & ROHS COMPLIANT PRODUCT.

NEW RELEASE EC NO: SHH2006-0790 DRW:RTSAI CHKD: APPR:WMSCHANG 2006/08/09 2006/08/09 2006/08/12	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	mm INCH	DRAWN BY DICK DONG	DATE 2006/07/12	TITLE CARDBUS LEFT BOTTOM EJECTOR MECHANISM (LEAD-FREE VERSION)			
		3 PLACES ± --- ± ---		CHECKED BY ROGER TSAI	DATE 2006/07/12	MOLEX INCORPORATED			
		2 PLACES ± 0.25 ± --- 1 PLACE ± 0.25 ± ---		APPROVED BY ALLEN LIN	DATE 2006/07/12	MATERIAL NO. 48250-0003	DOCUMENT NO. SD-48250-003	SHEET NO. 1 OF 1	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						