

Product Change Notification - LIAL-26JKUB646

Date:

29 Mar 2018 Product Category:

32-bit PIC Microcontrollers Affected CPNs:

Notification subject:

CCB 3300, 3300.001 Initial Notice: Qualification of CuPdAu wire in selected products of the 0.18 µm wafer technology available in 100L and 64L TQFP packages at MTAI assembly site.

Notification text:

PCN Status: Initial notification.

PCN Type:

Manufacturing Change

Microchip Parts Affected:

Please open one of the icons found in the Affected CPNs section above.

NOTE: For your convenience Microchip includes identical files in two formats (.pdf and .xls)

Description of Change:

Qualification of palladium coated copper with gold flash (CuPdAu) bond wire in selected products of the 0.18 μ m wafer technology available in 100L and 64L TQFP packages at MTAI assembly site

Pre Change:

Using gold (Au) bond wire

Post Change:

Using palladium coated copper with gold flash (CuPdAu) bond wire

Pre and Post Change Summary:

	Pre Change Post Change					
Assembly Site	Microchip Technology Thailand HQ (MTAI)	Microchip Technology Thailand HQ (MTAI)				
Wire material	Au	CuPdAu				
Die attach material	3280	3280				
Molding compound material	G700HA	G700HA				
Lead frame material	C7025	C7025				

Impacts to Data Sheet:

None

Change Impact:

None

Reason for Change:

To improve productivity by qualifying palladium coated copper with gold flash (CuPdAu) bond wire **Change Implementation Status:**

In Progress

Estimated Qualification Completion Date:

May 2018



Note: Please be advised the qualification completion times may be extended because of unforeseen business conditions however implementation will not occur until after qualification has completed and a final PCN has been issued. The final PCN will include the qualification report and estimated first ship date. Also note that after the estimated first ship date guided in the final PCN customers may receive pre and post change parts.

Time Table Summary:

		March 2018					-^	May 2018				
	Workweek	9	10	11	12	13		18	19	20	21	22
Initial PCN Issue Date						Х						
Qual Report Availability												Х
Final PCN Issue Date												Х

Method to Identify Change:

Traceability code

Qualification Plan:

Please open the attachments included with this PCN labeled as PCN_#_Qual Plan.

Revision History:

March 29, 2018: Issued initial notification.

The change described in this PCN does not alter Microchip's current regulatory compliance regarding the material content of the applicable products.

Attachment(s):

PCN_LIAL-26JKUB646_QUAL_PLAN.pdf

Please contact your local Microchip sales office with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to change your product/process change notification (PCN) profile please log on to our website at microchip.com/PCN sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to microchip DIRECT and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."

LIAL-26JKUB646 - CCB 3300, 3300.001 Initial Notice: Qualification of CuPdAu wire in selected products of the 0.18 µm wafer technology available in 100L and 64L TQFP packages at MTAI assembly site.

Affected Catalog Part Numbers (CPN)

PIC32MX350F128H-I/PT PIC32MX350F128HT-I/PT PIC32MX350F128HT-V/PT PIC32MX350F128H-V/PT PIC32MX350F128L-I/PT PIC32MX350F128LT-I/PT PIC32MX350F128LT-V/PT PIC32MX350F128L-V/PT PIC32MX350F256H-I/PT PIC32MX350F256HT-I/PT PIC32MX350F256HT-V/PT PIC32MX350F256H-V/PT PIC32MX350F256L-I/PT PIC32MX350F256LT-I/PT PIC32MX350F256LT-V/PT PIC32MX350F256L-V/PT PIC32MX450F128H-I/PT PIC32MX450F128HT-I/PT PIC32MX450F128HT-V/PT PIC32MX450F128H-V/PT PIC32MX450F128L-I/PT PIC32MX450F128LT-I/PT PIC32MX450F128LT-V/PT PIC32MX450F128L-V/PT PIC32MX450F256H-120/PT PIC32MX450F256H-I/PT PIC32MX450F256H-I/PTB21 PIC32MX450F256HT-120/PT PIC32MX450F256HT-I/PT PIC32MX450F256HT-V/PT PIC32MX450F256H-V/PT PIC32MX450F256L-120/PT PIC32MX450F256L-I/PT PIC32MX450F256LT-120/PT PIC32MX450F256LT-I/PT PIC32MX450F256LT-V/PT PIC32MX450F256L-V/PT